



CAPITAL

Collection



Oxford & Leicester

Light-filtering and BO FR fabrics in six timeless colours

2800mm | 89 & 127mm

Oxford & Leicester

A beautiful pair of matching fabrics. Oxford is a light-filtering FR fabric that allows natural light into a space, and Leicester is its BO counterpart.

Additional self-coloured BO backing available for three colours.

These fabrics, or a combination of both, are *ideal for commercial settings*.



Certified fire retardancy



Matching light-filtering and blackout fabrics



Suitable for vertical blinds

	Oxford	Leicester
Product	Roller & Vertical	Roller & Vertical
Composition	86% PES - 14% AC	55% AC - 45% PES
Roller - roll width	2800mm	2800mm
Roller - roll length	ca. 50m	ca. 32m
Vertical - roll width	89mm & 127mm	89mm & 127mm
Vertical - roll length	ca. 270m	ca. 170m
Weight	190g/m ²	365g/m ²
Thickness	0.38mm	0.65mm
FR Classifications	DIN 4102, CLASS B1 EN 13773, CLASS 1 NFPA 701	DIN 4102, CLASS B1 EN 13773, CLASS 1 NFPA 702
Colour Fastness (ISO 105 - B02)	Grade 3-4	Grade 3-4
Cleaning	Damp cloth	Damp cloth
Recommended cut method	Cold Cut, Ultrasonic	Cold Cut, Ultrasonic
Oeko-Tex Standard 100	Yes	Yes
Suitable for moist conditions	No	No


Technical Specifications										
Colour	Thermal							Visual		
	Ts %	RS %	As %	GTOT INT GLAZING C		GTOT INT GLAZING D		Tv %	Rv %	Av %
				GTOT	CLASS	GTOT	CLASS			
Oxford										
Blanc	39	54	7	0.4	1	0.26	2	40	58	2
Chalk	37	51	13	0.41	1	0.27	2	35	51	14
Metal	30	47	24	0.42	1	0.27	2	19	37	44
Limestone	23	41	35	0.44	1	0.27	2	7	24	69
Raven	19	30	51	0.47	1	0.28	2	1	7	93
Grey	21	34	45	0.46	1	0.28	2	2	11	87
Leicester*										
Blanc	0	67	33	0.35	2	0.25	2	0	77	23
Chalk	0	67	33	0.35	2	0.25	2	0	77	23
Metal	0	67	33	0.35	2	0.25	2	0	77	23
Limestone	0	67	33	0.35	2	0.25	2	0	77	23
Raven	0	67	33	0.35	2	0.25	2	0	77	23
Grey	0	67	33	0.35	2	0.25	2	0	77	23

Ts = Solar Transmittance	Rs = Solar Reflectance	As = Solar Absorbance	Tv = Visual Transmittance	Rv = Visual Reflectance	Av = Visual Absorbance
Gtot = Total solar energy reflectance		Glazing C = Double glazing as described in EN 14501:2021		Glazing D = Solar control glazing as described in EN 14501:2021	

*Data for white backed fabrics only.


Oxford

Light-filtering, fire retardant fabric




Blanc

2800mm
89/127mm




Chalk

2800mm
89/127mm




Metal

2800mm
89/127mm




Limestone

2800mm
89/127mm



Raven

2800mm
89/127mm




Grey


2800mm
89/127mm

Leicester


Blackout FR fabric with white or self-coloured backing options.




Blanc 2800mm
89/127mm




Chalk 2800mm
89/127mm




Metal 2800mm
89/127mm




Limestone 2800mm
89/127mm




Raven 2800mm
89/127mm




Grey 2800mm
89/127mm



Dual Limestone 2800mm
89/127mm



Dual Raven 2800mm
89/127mm



Dual Grey 2800mm
89/127mm